

Digging buckets

Bucket 0-33 tonnes

A general purpose bucket for tough jobs

The digging bucket is a fundamental work tool that can handle a wide range of excavation and earthmoving tasks, and it is one of the most common buckets used on an excavator. It is ideal for general purpose excavation work where soil, rock or other materials need to be removed.

A digging bucket with teeth improves the ability to penetrate tough materials, allowing the bucket to break and lift hard soil, loose rocks or dense material more effectively than a smooth-edged bucket. The right bucket capacity means fewer cycles and more productivity. But it's not just about size – it's also about the perfect fit for your machine and the task at hand. With Steelwrist's wide range of digging buckets you will find a perfect match. The bucket is available with or without teeth.

Optimized geometry and high grade materials

The Steelwrist digging bucket is designed to withstand tougher jobs. High grade steel allows us to make a more wear resistant bucket without increasing the weight. The bucket is characterized by a progressive radius which allows the cutting edge to penetrate the material without interference from the bottom.

Steelwrist digging bucket features a bent profile, or beam, that replaces the traditional pipe. This leads to increased stiffness while reducing weight and cost. On larger buckets the beam is made from high-grade steel, leading to an even more efficient solution.

The digging bucket has:

- High grade steel in wear plates
- 20-30° bucket angle
- CAT J-style tooth system



Digging buckets	Machine weight [lb]	Bracket S-type	Width [inch]	Volume ISO [ft³]	Volume SAE [ft³]	Weight [lb]	Tooth CAT-J	Part No
DB08	0-4400	S30	15.75	1	1.41	66	-	101047
DB1	0-4400	S30	15.75	1.41	2	77	-	101048
DB1T	0-4400	S30	15.75	1.41	2	99	J200 x3	101049
DB2	2200-6600	S30	17.72	2.47	3	99	-	101050
DB2T	4400-8800	S30	17.72	2.47	3	121	J200 x3	101051
DB2	4400-8800	S40	11.81	1.41	2.12	99	-	101052
DB2T	4400-8800	S40	11.81	1.41	2.12	110	J200 x3	101053
DB2	4400-8800	S40	17.72	2.47	3	110	-	101054
DB2T	4400-8800	S40	17.72	2.47	3	132	J200 x3	101055
DB2	4400-8800	S40	23.62	3.53	4.41	143	-	101056
DB2T	4400-8800	S40	23.62	3.53	4.41	165	J200 x4	101057
DB3	4400-8800	S40	19.69	3.53	4.24	165	-	101058
DB3T	4400-8800	S40	19.69	3.53	4.24	187	J200 x4	101059
DB4	6600-11000	S40	23.62	5	6.36	220	-	101061
DB4T	6600-11000	S40	12	2.47	3	165	J200 x3	101062
DB4T	6600-11000	S40	18	3.53	4.59	198	J200 x4	101063
DB4T	6600-11000	S40	23.62	5	6.36	242	J200 x4	101064
DB5	8800-13200	S40	27.56	6.71	8.48	275	-	101066
DB5	8800-13200	S40	29.53	7.42	9.18	297	-	101067
DB5	8800-13200	S40	35.43	9.18	11.65	341	-	101068
DB5T	8800-13200	S40	27.56	6.71	8.48	297	J200 x4	101069
DB5T	8800-13200	S40	29.53	7.42	9.18	319	J200 x4	101303
DB5T	8800-13200	S40	35.43	9.18	11.65	352	J200 x4	101302
DB6	11000-17600	S45	23.62	6	7.59	297	-	101071
DB6T	13200-17600	S45	23.62	6	7.59	319	J200 x4	101072
DB6	11000-17600	S45	27.56	7.42	9.36	319	-	101073
DB6T	11000-17600	S45	27.56	7.42	9.36	341	J200 x4	101074
DB6	11000-17600	S45	35.43	9.89	12.54	396	-	101075
DB6T	11000-17600	S45	35.43	9.89	12.54	418	J200 x4	101076
DB6	11000-17600	S50	23.62	6	7.59	297	-	101077
DB6T	11000-17600	S50	23.62	6	7.59	319	J200 x4	101078
DB6	11000-17600	S50	27.56	7.42	9.36	330	-	101079
DB6T	11000-17600	S50	27.56	7.42	9.36	352	J200 x4	101080
DB6	11000-17600	S50	35.43	9.89	12.54	396	-	101081
DB6T	11000-17600	S50	35.43	9.89	12.54	418	J200 x4	101082
DB9	17600-26400	S45	17.72	5.65	7.24	396	-	101083
DB9T	17600-26400	S45	17.72	5.65	7.24	407	J200 x3	101084
DB9	17600-26400	S45	23.62	7.42	9.36	440	-	101085
DB9T	17600-26400	S45	23.62	7.42	9.36	462	J200 x4	101086
DB9	17600-26400	S45	27.56	9.18	11.48	495	-	101087
DB9T	17600-26400	S45	27.56	9.18	11.48	517	J200 x4	101088
DB9	17600-26400	S45	35.43	12.36	15.72	605	-	101089
DB9T	17600-26400	S45	35.43	12.36	15.72	627	J200 x4	101090
DB9T	17600-26400	S50	18	5	6.36	385	J200 x4	101091
DB9	17600-26400	S50	23.62	7.42	9.36	451	-	101092
DB9T	17600-26400	S50	23.62	7.42	9.36	473	J200 x4	101093
DB9	17600-26400	S50	27.56	9.18	11.48	495	-	101094
DB9T	17600-26400	S50	27.56	9.18	11.48	517	J200 x4	101095
DB9	17600-26400	S50	35.43	12.36	15.72	605	-	101096
DB9T	17600-26400	S50	36	12.71	11.48	616	J200 x4	101097
DB12	24200-28600	S45	23.62	8.83	11.30	528	-	101100
DB12T	24200-28600	S45	23.62	8.83	11.30	583	J250 x4	101101
DB12	24200-28600	S45	31.50	13	16.42	682	-	101102

Digging buckets	Machine weight [lb]	Bracket S-type	Width [inch]	Volume ISO [ft³]	Volume SAE [ft³]	Weight [lb]	Tooth CAT-J	Part No
DB12T	24200-28600	S45	31.50	13	16.42	748	J250 x4	101103
DB12	24200-28600	S45	35.43	15.19	19.25	737	-	101104
DB12T	24200-28600	S45	35.43	15.19	19.25	803	J250 x4	101105
DB12	24200-28600	S50	23.62	8.83	11.30	528	-	101106
DB12T	24200-28600	S50	23.62	8.83	11.30	594	J250 x4	101107
DB12	24200-28600	S60	31.50	13	16.42	748	-	101108
DB12T	24200-28600	S50	31.50	13	16.42	748	J250 x4	101109
DB12	24200-28600	S50	35.43	15.19	19.25	737	-	101110
DB12T	24200-28600	S50	35.43	16.24	19.25	968	J250 x4	101111
DB12	24200-28600	S60	31.50	13	16.42	715	-	101300
DB12T	24200-28600	S60	31.50	13	16.42	781	J250 x4	101301
DB13	28600-30800	S60	35.43	16.24	20.31	869	-	101112
DB13T	28600-30800	S60	35.43	16.24	20.31	968	J300 x4	101113
DB14	30800-33000	S60	17.72	7.77	9.71	693	-	101115
DB14T	30800-33000	S60	17.72	7.77	9.71	737	J300 x4	101116
DB14	30800-33000	S60	23.62	9.53	12.36	726	-	101117
DB14T	30800-33000	S60	23.62	9.53	12.36	803	J300 x4	101118
DB14	30800-33000	S60	37.40	18	23.13	1023	-	101119
DB14T	30800-33000	S60	37.40	18	23.13	1133	J300 x4	101120
DB14T	30800-33000	S60	47.24	24.37	30.37	1386	J300 x5	101123
DB15	33000-35200	S60	39.37	20.84	26	1111	-	101125
DB15T	33000-35200	S60	36	18.36	23.13	1144	J300 x4	101114
DB15T	33000-35200	S60	24	10.59	13.24	8481	J300 x3	101329
DB15T	33000-35200	S60	39.37	20.84	26	1210	J300 x4	101126
DB15T	33000-35200	S65	39.37	20.84	26	1232	J300 x4	101128
DB15T	33000-35200	S60	55.12	31.43	39	1672	J300 x4	101124
DB15	33000-35200	S65	39.37	20.84	26	1133	-	101127
DB17	35200-39600	S60	23.62	11.65	15.19	902	-	101129
DB17T	35200-39600	S60	23.62	11.65	15.19	979	J300 x3	101130
DB17T	35200-39600	S60	35.43	20.13	25.43	1298	J300 x4	101132
DB17	35200-39600	S60	39.37	23.31	29.13	1298	-	101133
DB17T	35200-39600	S60	39.37	23.31	29.13	1408	J300 x4	101134
DB17T	35200-39600	S60	47.24	29	36.37	1584	J300 x5	101135
DB17	35200-39600	S65	39.37	23.31	29.13	1320	-	101138
DB17T	35200-39600	S65	39.37	23.31	29.13	1430	J300 x4	101139
DB20T	39600-48400	S70	36	21.19	27	1848	J400 x4	101140
DB20T	39600-48400	S70	41.34	25.43	32.14	2046	J400 x4	101141
DB20	39600-48400	S70	41.34	25.43	32.14	1782	-	101142
DB20T	39600-48400	S70/55	41.34	25.43	32.14	2090	J400 x4	101143
DB20T	39600-48400	S70	47.24	31	38.49	2310	J400 x5	101144
DB20T	39600-48400	S70	55	38.14	47.32	2574	J400 x5	101145
DB25T	48400-57200	S70	49.21	38.85	48.38	2574	J460 x4	101146
DB25	48400-57200	S70	49.21	38.85	48.38	2310	-	101147
DB25T	48400-57200	S70/55	49.21	38.85	48.38	2596	J460 x4	101148
DB30T	55000-72600	S70	51.18	44.14	55	3322	J350 x5	101150
DB30T	55000-72600	S70/55	51.18	44.14	55	3410	J460 x4	101151
DB30	55000-72600	S80	51.18	44.14	55	3212	-	101152
DB30T	55000-72600	S80	51.18	44.14	55	3476	J460 x4	101153