

Grading beams


Mechanical work tool 2-33 ton

For precise and smooth leveling and grading

The grading beam is ideal in groundwork projects for leveling and shaping flat surfaces of soil, gravel, sand or other loose aggregates, over large areas. The grading task is quickly done with this work tool on the excavator, when doing roadwork, landscaping or at construction sites.

The Steelwrist grading beam is designed for use under a tiltrotator. The angled top bracket keeps the grading surface rotating perfectly with the tiltrotator. Adjustable side plates lets you retract for tight or delicate areas, and extend for improved material control. The grading beam performs better in sticky ground, where rollers can clog.

The extended rear blade lets you carry and spread material without changing work tool. GPS pole mounting points allows for smarter, more precise grading.



🔧 Technical specification

Grading beams	GRB1250	GRB1500	GRB1500	GRB2000	GRB2000	GRB2000	GRB2500	GRB2500	GRB2500
Bracket	S40	S40	S50	S45	S50	S60	S65	S70	S70/55
Machine weight [ton]	2-6	2-6	2-6	6-14	6-14	6-14	6-33	6-33	6-33
Max Breakout torque [kNm]									
Weight from [kg]	135	150	177	283	285	311	400	436	439
Width [mm]	1250	1500	1500	2000	2000	2000	2500	2500	2500
Length [mm]	600	600	600	773	773	773	907	907	907
Height [mm]	375	375	458	460	487	492	511	539	539